

INDEX SHEET

FL PRODUCT APPROVAL / MIAMI-DADE NOA



Include complete product number with decimal. Example: 20-0619.03 or 21563.2

Section A:		DOORS					
#	COMPONENT	MANUFACTURER/MODEL	IMPACT	FL PA/NOA #	Exp. Date	Design Pressure	
1	Swinging	Allegion-Schlage	IMPACT	4613.1	12/31/26	+ 65	- 65
2	Sliding					+	-
3	Garage	Overhead Door Co.	IMPACT	16798.25	12/31/35	+ 46	- 52
4	Storefront Door	YKK AP America	IMPACT	16554.2	12/31/26	+ 90	- 90
5						+	-
6						+	-
7						+	-
8						+	-
Section B:		WINDOWS					
#	COMPONENT	MANUFACTURER/MODEL	IMPACT	FL PA/NOA #	Exp. Date	Design Pressure	
1	Single/Dbl Hung					+	-
2	Fixed	YKK AP America	IMPACT	14218.8	12/31/26	+ 70	- 70
3	Casement	Winco	IMPACT	46839.1	1/12/29	+ 70	- 70
4	Horizontal Slider					+	-
5	Mullion					+	-
6	Skylights					+	-
7						+	-
8						+	-
9						+	-
10						+	-
Section C:		ROOFING PRODUCTS					
#	COMPONENT	MANUFACTURER/MODEL		FL PA/NOA #	Exp. Date	Design Pressure	
1	Asphalt Shingles					+	-
2	Metal	DCSM Manufacturing LLC		9318.3	12/31/26	+ N/A	- 82.5
3	Tile					+	-
4	Single Ply	John Mansville		11475.1	12/15/25	+ N/A	- 45
5	Underlayment	Polyglass USA		5259.2	4/30/28	+ N/A	- 90
6	Vents	Greenheck (Louvers)		10088.4	12/31/27	+ 150	- 150
7	Gravity Vent	Greenheck		23-1122.03	7/8/29	+ 70	- 70
8	Roof Hatch	Babcock Davis		24-0904.09	5/25/27	+ 70	- 70
Section D:		EXTERIOR CLADDING					
#	COMPONENT	MANUFACTURER/MODEL		FL PA/NOA #	Exp. Date	Design Pressure	
1	Siding	Hardieboard Siding		13192.2	3/1/26	+ N/A	- 174
2	Stone	Coronado Stone		31373.1	12/31/25	+ N/A	- 106
3						+	-
Section E:		PANEL WALLS					
#	COMPONENT	MANUFACTURER/MODEL		FL PA/NOA #	Exp. Date	Design Pressure	
1	Soffits	Amerimax		5896.1	12/31/25	+ 50	- 50
2	Storefront	Coral Industries		29206.1	2/24/26	+ 60	- 60
3						+	-
4						+	-

PRODUCT APPROVALS/NOAs MUST BE ONSITE AT TIME OF INSPECTION